



Certificate of Analysis
Compliance Test

Client Information:

MR. HEMP FLOWER
6520 Fort King rd
STE 1
Zephyrhills, FL 33542

Batch # 300mg Cream
Batch Date: 2025-02-19
Extracted From: CBD

Test Reg State: Florida

Order # MRH250219-190001
Order Date: 2025-02-19
Sample # AAGK448

Sampling Date: 2025-02-25
Lab Batch Date: 2025-02-25
Completion Date: 2025-02-28

Initial Gross Weight: 82.568 g
Volume: 60 ml

Number of Units: 1
Net Weight per Unit: 60000.000 mg



**Potency
Tested**

Product Image

Potency 10

Specimen Weight: 502.450 mg

Tested

SOP13.001 (LCUV)

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)	
CBD	5.40E-5	0.015	4.580	0.458	
CBC	1.80E-5	0.015	<LOQ	<LOQ	
CBDA	1.00E-5	0.015	<LOQ	<LOQ	
CBDV	6.50E-5	0.015	<LOQ	<LOQ	
CBG	2.48E-4	0.015	<LOQ	<LOQ	
CBGA	8.00E-5	0.015	<LOQ	<LOQ	
CBN	1.40E-5	0.015	<LOQ	<LOQ	
Delta-9 THC	1.30E-5	0.015	<LOQ	<LOQ	
THCA-A	3.20E-5	0.015	<LOQ	<LOQ	
THCV	7.00E-6	0.015	<LOQ	<LOQ	
Total Active CBD			4.580	0.458	
Total Active THC			<LOQ	<LOQ	

Potency Summary

Total Active THC None Detected	Total Active CBD 0.458% 274.800 mg
Total CBG None Detected	Total CBN None Detected
Total Cannabinoids 0.458% 274.800 mg	

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THC + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.